







REV.	ECN NO.	DESCRIPTION	SIGN	DATE

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN CHOGORI PERSONNEL WITHOUT AUTHORIZATION FROM CHOGORI CORP.



- NOTE:**
- \* Important Dimension To Check.
  - Contact Resistance:  $\leq 30m\Omega$
  - Temperature Rating:  $-25^{\circ}C \sim +85^{\circ}C$
  - Panel Thickness  $\leq 3.0mm$
  - RoHS Compliance
  - Waterproof Rate: IP67

NO.	NAME	COLOR	SPECIFICATION	QTY	NOTE
7	Header		2*3Pin Contact:Gold Flash	1	
6	Glue	Black	Epoxy Casting		
5	PCB		Shell: Ni Plated	1	
4	Mini USB Recetacle (B-Type)		Contact:Gold Flash Shell: Ni Plated	1	
3	Gasket	Grey	Silicon	1	
2	Panel Nut	Black	Nylon	1	
1	Housing	Black	Nylon	1	

UNIT:mm	
TOLERANCE	
.X	$\pm 0.25$
.XX	$\pm 0.1$
.XXX	$\pm 0.05$
ANGLES	$\pm 1^{\circ}$




TITLE Mini USB(B-Type) Lock Bayonet Type Front Panel Mount	
SCALE	SHEET 1 OF 1
REV.	SIZE A4
	:Inspection Item

**CHOGORI**  
深圳乔合里科技有限公司

ITEM NO 36005625-01	DRAWN BY	DATE
DWG NO	CHECKED BY	DATE
CUSTOMER	APPROVED BY	DATE

REV.	ECN NO.	DESCRIPTION	SIGN	DATE

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN CHOGORI PERSONNEL WITHOUT AUTHORIZATION FROM CHOGORI CORP.



Shell	Drain
Pin5	Black 24AWG
Pin4	N/C
Pin3	Green 28AWG
Pin2	White 28AWG
Pin1	Red 24AWG

NOTE:  
 1. \* Important Dimension To Check.  
 2.Contact Resistance: $\leq 30m\Omega$   
 3.Temperature Rating: $-25^{\circ}C \sim +85^{\circ}C$   
 4.Panel Thickness $\leq 3.0mm$   
 5.RoHS Compliance  
 6.Waterproof Rate: IP67

Wiring


NO.	NAME	COLOR	SPECIFICATION	QTY	NOTE
7	Cable	Black	2C*24AWG+1P*28AWG +Al/My+D	1	
6	Glue	Black	Epoxy Casting		
5	PCB		Shell: Ni Plated	1	
4	Mini USB Recetacle (B-Type)		Contact:Gold Flash Shell: Ni Plated	1	
3	Gasket	Grey	Silicon	1	
2	Panel Nut	Black	Nylon	1	
1	Housing	Black	Nylon	1	

UNIT:mm	
TOLERANCE	
.X	$\pm 0.25$
.XX	$\pm 0.1$
.XXX	$\pm 0.05$
ANGLES	$\pm 1^{\circ}$

TITLE Mini USB(B-Type) Lock Bayonet Type Front Panel Mount	
SCALE	SHEET 1 OF 1
REV.	SIZE A4


**CHOGORI**  
 深圳乔合里科技有限公司

ITEM NO 36005625-XX-XXX	DRAWN BY	DATE
DWG NO	CHECKED BY	DATE
CUSTOMER	APPROVED BY	DATE



REV.	ECN NO.	DESCRIPTION	SIGN	DATE

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN CHOGORI PERSONNEL WITHOUT AUTHORIZATION FROM CHOGORI CORP.



Shell	Drain
Pin5	Black 24AWG
Pin4	N/C
Pin3	Green 28AWG
Pin2	White 28AWG
Pin1	Red 24AWG

**Wiring**

**NOTE:**  
 1. \* Important Dimension To Check.  
 2.Contact Resistance: ≤30mΩ  
 3.Temperature Rating: -25℃~+85℃  
 4.RoHS Compliance  
 5.Waterproof Rate: IP67

NO.	NAME	COLOR	SPECIFICATION	QTY	NOTE
7	Cable	Black	2C*24AWG+1P*28AWG +Al/My+D	1	
6	Glue	Black	Epoxy Casting		
5	Over Mold	Black	PVC		
4	Inner Mold	Black	Thermal Plastic		
3	Gasket	Black	Silicon	1	
2	Lock Nut	Black	PC	1	
1	Mini USB Plug (B-Type)		Contact:Gold Flash Shell: Ni Plated	1	

UNIT:mm	
TOLERANCE	
.X	±0.25
.XX	±0.1
.XXX	±0.05
ANGLES	±1°

TITLE		Mini USB(B-Type) Lock Baynet Type Male Plug	
SCALE	SHEET	1 OF 1	
REV.	SIZE	A4	
		Ⓢ : Inspection Item	

**CHOGORI**  
 深圳乔合里科技有限公司

ITEM NO	36005123-01-XXX	DRAWN BY	DATE
DWG NO		CHECKED BY	DATE
CUSTOMER		APPROVED BY	DATE